



Roma Kulczyk

fol. Krzysztof Zgola

lava

lava

Elegant and modern LAVA includes two versions of luminaires— surface-mounted and flush with the ceiling. The surface-mounted version is enclosed in a shallow, geometric luminaire which, thanks to its low height (only 67 mm), blends in well with the ceiling without dominating the interior. The recessed ceiling version is mounted on a rectangular or square plate which covers the mounting holes. The simple body houses hinged reflectors, thanks to which we can direct the light stream also to the sides. Lava has a very wide range of applications— from living spaces to offices and hotels.








lava WP x1/ x2 trimless




lava wp trimless


Model		On-Off	Switch Dim	DALI2	PhaseOut	Accessories	Black	White	Mixed	CR98-2700K	CR98-3000K	CR98-4000K	Spot 13°	Medium 32°	Wide 48°	Spot 18°	Medium 35°	Wide 55°	
							.02	.03	.99	.927	.930	.940	.S	.M	.W	.S	.M	.W	
LavaWP 																			
1	X1edge.LED	1x8W510lm	4.1046	4.1057	4.1058	4.1056	1	•	•	•	•	•	•	•	•				
2	X2 edge.LED	2x 8W510lm	4.1047	4.1063	4.1064	4.1062	1	•	•	•	•	•	•	•	•				
3	X1edge.LED	1x 15W1200lm	4.1048	4.1060	4.1061	4.1059	1	•	•	•	•	•				•	•	•	
4	X2 edge.LED	2x 15W1200lm	4.1049	4.1066	4.1067	4.1065	1	•	•	•	•	•				•	•	•	
5	X1 Mounting frame	[required]				4.2100													
6	X2 Mounting frame	[required]				4.2101													
Lava NT QR111 																			
1	X1	1x 0-50WG53 QR-LP 111	3.0401				•	•	•										
2	X2	2x 0-50WG53 QR-LP 111	3.0402				•	•	•										
Lava NT edge.LED 																			
1	X1edge.LED	1x8W510lm	3.0725				•	•	•	•	•	•	•	•	•				
2	X2 edge.LED	2x 8W510lm	3.0726				•	•	•	•	•	•	•	•	•				




Lava WP



Lava WP—mounting frames



Lava NT



details subject to change.

